

CONTENTS OF VOLUME 42

Number 1

- 1 Editorial
- 3 Structural features of (1 → 3),(1 → 4)-β-D-glucan and arabinoxylan fractions isolated from rye bran
J. P. ROUBROEKS, R. ANDERSSON & P. ÅMAN (UPPSALA, SWEDEN)
- 13 Oxypropylation of sugar beet pulp. 2. Separation of the grafted pulp from the propylene oxide homopolymer
C. PAVIER & A. GANDINI (ST MARTIN D'HÈRES, FRANCE)
- 19 Enzymatic degradation of β-chitin: susceptibility and the influence of deacetylation
K. KURITA, Y. KAJI, T. MORI & Y. NISHIYAMA (TOKYO, JAPAN)
- 23 Analysis of a complex polysaccharide (gum arabic) by multi-angle laser light scattering coupled on-line to size exclusion chromatography and flow field flow fractionation
L. PICTON, I. BATAILLE & G. MULLER (MONT SAINT AIGNAN, FRANCE)
- 33 Synthesis and reduction of 2-nitroalkyl polysaccharide ethers
A. HEERES, F. F. SPOELMA, H. A. VAN DOREN (GRONINGEN, NETHERLANDS), K. F. GOTLIEB (WILDERVANK, NETHERLANDS), I. P. BLEEKER (FOXHOL, NETHERLANDS) & R. M. KELLOGG (GRONINGEN, NETHERLANDS)
- 45 Air oxidation of potato starch over Cu(II) catalyst
B. ACHREMOWICZ, D. GUMUL, A. BALA-PIASEK, P. TOMASIK & K. HABERKO (CRACOW, POLAND)
- 51 Specific modifications of galactomannans
M. R. SIERAKOWSKI, M. MILAS, J. DESBRIÈRES & M. RINAUDO (GRENOBLE, FRANCE)
- 59 Polymerization of β-cyclodextrin with maleic anhydride and structural characterization of the polymers
T. GIREK (CZESTOCHOWA, POLAND), D.-H. SHIN & S.-T. LIM (SEOUL, SOUTH KOREA)
- 65 Evaluation of variations in amylose–iodine absorbance spectra
C. A. KNUTSON (PEORIA, IL, USA)
- 73 Effect of instantaneous controlled pressure drop process on the hydration capacity of scleroglucan: optimisation of operating conditions by response surface methodology
S. A. REZZOUG, Z. MAACHE-REZZOUG (LA ROCHELLE, FRANCE), J. MAZOYER (CARENTAN, FRANCE), M. JEANNIN & K. ALLAF (LA ROCHELLE, FRANCE)
- 85 Effect of pH on phosphorylation of sago starch
K. MUHAMMAD, F. HUSSIN, Y. C. MAN, H. M. GHAZALI (SELANGOR, MALAYSIA) & J. F. KENNEDY (BIRMINGHAM, UK)

Book Reviews

- 91 Enzymes
- 91 Modern Polymer Spectroscopy
- 92 Understanding Mass Spectra—A Basic Approach
- 92 Carbohydrate Biotechnology Protocols

- 95 Comment on *Measurement of the rheology of polysaccharide gels by penetration* by C.M. Gregson, S.E. Hill, J.R. Mitchell, & J. Smewing, *Carbohydrate Polymers*, 38 (1999) 255–259
D. G. OAKENFULL & R. I. TANNER (SYDNEY, AUSTRALIA)
- 97 Reply to Letter to the Editor
- 99 Bibliography
- 107 Calendar

Number 2

- 111 Comparative study of hemicelluloses from rice straw by alkali and hydrogen peroxide treatments
R. C. SUN, J. TOMKINSON (BANGOR, UK), P. L. MA & S. F. LIANG (YANGLING, PEOPLE'S REPUBLIC OF CHINA)
- 123 Water-soluble *p*-carboxybenzylated beechwood 4-*O*-methylglucuronoxylan: structural features and properties
A. EBRINGEROVÁ, J. ALFÖLDI, Z. HROMÁDKOVÁ (BRATISLAVA, SLOVAKIA), G. M. PAVLOV (ST. PETERSBURG, RUSSIAN FEDERATION) & S. E. HARDING (SUTTON BONINGTON, UK)
- 133 NMR proton relaxation measurements of water associated with high methoxy and low methoxy pectins
W. L. KERR & L. WICKER (ATHENS, GA, USA)
- 143 Structural characterization of water soluble β -glucan of oat bran
L. JOHANSSON, L. VIRKKI, S. MAUNU, M. LEHTO, P. EKHOLM & P. VARO (HELSINKI, FINLAND)
- 149 Relationship between baking behavior of modified cassava starches and starch chemical structure determined by FTIR spectroscopy
I. M. DEMIATE (PONTA GROSSA, BRAZIL), N. DUPUY, J. P. HUVENNE (VILLENEUVE D'ASCQ, FRANCE), M. P. CEREDA (BOTUCATU, BRAZIL) & G. WOSIACKI (PONTA GROSSA, BRAZIL)
- 159 Characterisation of xanthan gum solutions using dynamic light scattering and rheology
A. B. RODD, D. E. DUNSTAN & D. V. BOGER (PARKVILLE, AUSTRALIA)
- 175 The effect of temperature cycling on the amylopectin retrogradation of starches with different amylopectin unit-chain length distribution
J. SILVERIO (LUND, SWEDEN), H. FREDRIKSSON, R. ANDERSSON, A.-C. ELIASSON & P. ÅMAN (UPPSALA, SWEDEN)
- 185 Xyloglucan from soybean (*Glycine max*) meal is composed of XXXG-type building units
M. M. H. HUISMAN, K. G. C. WEEL, H. A. SCHOLS & A. G. J. VORAGEN (WAGENINGEN, THE NETHERLANDS)
- 193 Effect of microwave radiation on physico-chemical properties and structure of cereal starches
G. LEWANDOWICZ, T. JANKOWSKI (POZNAŃ, POLAND) & J. FORMAL (OLSZTYN, POLAND)
- 201 Preparation and characterization of poly(ethylene glycol)-crosslinked reacetylated chitosans
A. DAL POZZO, L. VANINI, M. FAGNONI, M. GUERRINI (MILAN, ITALY), A. DE BENEDITTIS & R. A. A. MUZZARELLI (ANCONA, ITALY)

Book Reviews

- 207 Primer of Pulping and Papermaking
- 207 Pulp & Paper Dictionary
- 209 Calendar
- 213 Bibliography

Number 3**Special Issue**

- 219 Effect of oxidised starch on high methoxy pectin–sucrose gels formed by rapid quenching
V. EVAGELIOU, R. K. RICHARDSON (SILSOE, UK) & E. R. MORRIS (CORK, IRELAND)
- 233 Co-gelation of high methoxy pectin with oxidised starch or potato maltodextrin
V. EVAGELIOU, R. K. RICHARDSON (SILSOE, UK) & E. R. MORRIS (CORK, IRELAND)
- 245 Effect of pH, sugar type and thermal annealing on high-methoxy pectin gels
V. EVAGELIOU, R. K. RICHARDSON (SILSOE, UK) & E. R. MORRIS (CORK, IRELAND)
- 261 Effect of sucrose, glucose and fructose on gelation of oxidised starch
V. EVAGELIOU, R. K. RICHARDSON (SILSOE, UK) & E. R. MORRIS (CORK, IRELAND)
- 273 Phase equilibrium in polyethylene glycol/maltodextrin aqueous two-phase systems
L. H. M. DA SILVA & A. J. A. MEIRELLES (CAMPINAS, BRAZIL)
- 279 Bovine serum albumin, α -lactalbumin and β -lactoglobulin partitioning in polyethylene glycol/maltodextrin aqueous-two-phase systems
L. H. M. DA SILVA & A. J. A. MEIRELLES (CAMPINAS, BRAZIL)
- 283 High field NMR analysis of the degree of substitution in carboxymethyl cellulose sodium salt
D. CAPITANI (ROME, ITALY), F. PORRO (NAPLES, ITALY) & A. L. SEGRE (ROME, ITALY)
- 287 Annealing of maize starch
R. F. TESTER, S. J. J. DEBON & M. D. SOMMERVILLE (GLASGOW, UK)
- 301 Alkali modification of carrageenans. Part IV. Porphyrans as model compounds
M. D. NOSEDA, A. G. VIANA, M. E. R. DUARTE (PARANA, BRAZIL) & A. S. CEREZO (BUENOS AIRES, ARGENTINA)
- 307 Influence of physico-chemical properties of chitin and chitosan on complement activation
Y. SUZUKI, Y. OKAMOTO, M. MORIMOTO, H. SASHIWA, H. SAIMOTO, S.-I. TANIOKA, Y. SHIGEMASA & S. MINAMI (TOTTORI, JAPAN)
- 311 Preparation and characterization of the pentacyanoferrate(II) on the surface of *N*-(4-pyridylmethylidene)chitosan
C. A. RODRIGUES (ITAJAÍ, BRAZIL), M. C. M. LARANJEIRA, E. STADLER & V. DRAGO (FLORIANÓPOLIS, BRAZIL)

Erratum

- 315 Erratum to "Matrix metalloproteinase (MMP) 9 induced in skin and subcutaneous tissue by implanted chitin in rats": [Carbohydrate Polymers, 41 (2000) 327–329]
T. NAKADE, H. YOKOTA, H. TANIYAMA, Y. HORI, N. AGATA, T. IKEDA, H. FURUSAKI, Y. YAMADA, Y. UCHIDA, A. YUASA (HOKKAIDO, JAPAN), M. YAMAGUCHI (COLUMBUS, USA) & K. OTOMO (HOKKAIDO, JAPAN)
- 317 Calendar
- 319 Bibliography

Number 4

- 323 Dynamic and extensional properties of starch in aqueous dimethylsulfoxide
B. KAPOOR & M. BHATTACHARYA (ST. PAUL, MN, USA)
- 337 Direct analysis of experimental tie line data (two polymer–one solvent systems) using Flory–Huggins theory
A. H. CLARK (BEDFORD, UK)

- 353 Formation and characterization of superparamagnetic cross-linked high amylose starch
V. VEIGA, D. H. RYAN, E. SOURTY (MONTREAL, CANADA), F. LLANES (HAVANA, CUBA) &
R. H. MARCHESSAULT (MONTREAL, CANADA)
- 359 Amidation of highly methoxylated citrus pectin with primary amines
A. SINITSYA, J. ČOPIKOVÁ, V. PRUTYANOV, S. SKOBLYA & V. MACHOVIČ (PRAGUE, CZECH
REPUBLIC)
- 369 Dielectric relaxation in hydroxyethyl cellulose
K. LIEDERMANN (BRNO, CZECH REPUBLIC) & L. LAPČÍK JR. (ZLÍN, CZECH REPUBLIC)
- 375 A cellulosic exopolysaccharide produced from sugarcane molasses by a *Zoogloea* sp.
M. PATERSON-BEEDLE, J. F. KENNEDY (BIRMINGHAM, UK), F. A. D. MELO (PERNAMBUCO, BRAZIL),
L. L. LLOYD (BIRMINGHAM, UK) & V. MEDEIROS (PERNAMBUCO, BRAZIL)
- 385 Esterification of cellulose-enriched agricultural by-products and characterization of mechanical properties of
cellulosic films
G. CHAUVELON, N. GERGAUD, L. SAULNIER, D. LOURDIN, A. BULÉON, J.-F. THIBAUT (NANTES,
FRANCE) & P. KRAUSZ (LIMOGES, FRANCE)
- 393 Novel cellulose derivatives. Part VI. Preparation and thermal analysis of two novel cellulose esters with
fluorine-containing substituents
W. G. GLASSER, U. BECKER & J. G. TODD (BLACKSBURG, VA, USA)
- 401 Phase separation and drop size distributions in "homogeneous" Na-alginate/Na-caseinate mixtures
A. W. PACEK, P. DING, A. W. NIENOW (BIRMINGHAM, UK) & M. WEDD (MALVERN, UK)
- 411 Starch derivatives of high degree of functionalization. 1. Effective, homogeneous synthesis of *p*-toluenesul-
fonyl (tosyl) starch with a new functionalization pattern
T. HEINZE, P. TALABA & U. HEINZE (JENA, GERMANY)
- 421 Preparation of low-molecular weight alginic acid by acid hydrolysis
A. IKEDA, A. TAKEMURA & H. ONO (TOKYO, JAPAN)

Book Reviews

- 427 Polymers and the Environment
- 427 Food Emulsions and Foams: Interfaces, Interactions and Stability
- 428 Supramolecular Materials and Technologies
- 428 Pharmacognosy, Phytochemistry, Medicinal Plants (2nd ed.)
- 429 Szycher's Dictionary of Biomaterials and Medical Devices
- 431 Calendar
- 433 Bibliography
- 437 Volume contents

